



TRUSS SYSTEMS • CRANK STANDS • CLAMPS • ACCESSORIES

GLOBAL TRUSS AT HOME IN ANY HOUSE OF WORSHIP

WWW.GLOBALTRUSS.COM



ST-132 LIGHT MEDIUM DUTY CRANK STAND

Unit weight 55LBS
Maximum load: 220lbs
Max height 13'- 2"
Base footprint 5'-3"
Minimum height 5'-4"
(Lighting T-Bar included, truss adaptor sold separately)




ST-173 MEDIUM DUTY CRANK STAND

Unit weight 176LBS
Maximum load: 462lbs
Max height 17'- 3"
Base footprint 4'-10"
Minimum height 7'
- Safety fastener locks and automatic brake winch.
- Four wheels for easy use and transport.
- Adjustable stabilizers on its legs and bubble levels for perfect stability
(Truss adaptor sold separately)



GLOBAL TRUSS AMERICA

**Has Been A Proven Reliable Source Of Trussing Solutions For
Sanctuaries, Youth Centers And Mobile Worship Services For Over A Decade.**




GT-STAGE/ADJUST

Unit weight 77lbs
Platform dimensions: 3.28ft x 6.56ft
Load capacity: 1650lbs evenly distributed
Adjustable heights: 27", 31.5", 35", 39.37"
Skid proof deck
Optional accessories: stairs, guard Rails, 15.7" riser leg




GLOBAL SCREEN*

Decorative 4 way stretch white lycra screen
Fire retardant
12 anchor points
Storage bag & bungee cords included
(Can be used for front and rear video projection)
*SQ-CP1 truss system not included



TRUSS COVERS

Create a softer image while enjoying the benefits of having truss by using our truss covers.
Decorative white lycra truss cover
Fire retardant
Available sizes: 3.28', 4.92', 6.56', 8.2', 9.84'



GT-LECTERN

Lectern top dims: 18.25" L x 19.5"W
Base dims: 16"x 16"
Height: 42.5"
All aluminum construction
(Custom heights available)





CLAMPS

Lighting fixture clamps
Truss clamps
Rigging clamps




TRUSS TOTEMS

F34 12" box truss
Ideal for hanging LCD monitors,
Supporting moving head fixtures and set design.
Available heights: 4.92', 6.56', 7.05', 8.2', 9.02ft, 9.84'


GT-PLASMA MT-12

Universal mount for 42" - 50" flat panel TVs
Works with F34 trussing
(Sold separately)




WS10X20 GOAL POST

Outside Dimensions: 19.68ft W x 9.84ft H
Ideal for mobile or permanent applications, backdrops and
front stage lighting.
Materials: F34 12" aluminum box truss, steel base plates
(Custom sizes and powder coating available)




WS20X20X10 STAGE SYSTEM

Outside dimensions: 19.68ft W x 19.68ft L x 9.84ft H
Ideal for mobile or permanent applications, supporting AVL equipment
and set design.
Materials: F34 12" aluminum box truss
(Custom sizes and powder coating available)



F23 8.5" MINI TRIANGULAR TRUSS

Light duty decorative truss ideal for low load bearing, decorative applications and set design
Tube diameter: 35mm (1.37")
Cross brace diameter: 8mm (0.3")



F24 8.5" MINI BOX TRUSS

Light Duty Decorative Truss
Ideal for low load bearing, decorative applications and set design
Tube Diameter: 35mm (1.37")
Cross Brace Diameter: 8mm (0.3")

F34 12" BOX TRUSS

Medium heavy duty truss
Ideal for structural/decorative applications and set design
Tube diameter: 50mm (1.96")
2mm wall thickness
Cross brace diameter: 20mm (0.78")



F32 12" LADDER TRUSS

Light duty truss
Ideal for structural/decorative applications and set design
Tube diameter: 50mm (1.96")
2mm wall thickness
Cross brace diameter: 20mm (0.78")

F33 12" TRIANGULAR TRUSS

Medium duty truss
Ideal for structural/decorative applications and set design
Tube diameter: 50mm (1.96")
2mm wall thickness
Cross brace diameter: 20mm (0.78")

F44P 16" BOX TRUSS

Heavy Duty Truss
Ideal for heavy duty structural/decorative applications and set design
Tube diameter: 50mm (1.96")
3mm wall thickness
Cross brace diameter: 25mm (0.98")



- Complete in house CAD services to help you design your next project
- Visual CAD renderings of Designs
- Quick fulfillment with a large selection of ready to ship products in stock
- Affordable turnkey structural and decorative systems
- Trussing in a wide variety of shapes and sizes
- Dedicated support from the design process to the engineering and installation.
- Custom powder coating
- Easy to setup and easy to take down



Global Truss is part of the ADJ Group of Companies, a company you've known and trusted for over 25 years.



Follow Us On Facebook
facebook.com/globaltrussusa

GLOBAL TRUSS
Tel: 323.415.6225
E-mail: support@globaltruss.com
www.globaltruss.com



DISTRIBUTED BY: